

PRESEKAR

PRODAJA IN SERVIS OPREME

Špruha 42, 1236 Trzin, Slovenija

Tel.: +386 1 56 44 770

Mob.: +386 41 638 609

prodaja@presekar.com

aleksander.presekar@presekar.com

www.presekar.eu

FASEPTM

 **MADE IN ITALY**

S O M E O N E Y O U C A N T R U S T

Dimenzije strojev in naprav FASEP

Measures of FASEP Devices & Machines



MISURE MEASURES



ASSETTI RUOTE AUTO - CAMION / CAR-TRUCK WHEEL ALIGNERS


NoContact

- **Dimensioni / Dimensions**

A: 3900÷4400 mm
A1: 2000÷2200 mm
B: 900÷1000 mm
C: 100 mm
L: 4000÷6000 mm
H: 2450 mm

- **Imballo (escluso cabinet) / Packing (Cabinet excluded)**
2600 x 1120 x 750 mm

- **Peso lordo / gross weight**
400 kg
Peso netto / net weight
285 kg




VCO-K.Eco

- **Dimensioni / Dimension:**

A: 150 mm
B: 890 mm
C: 740 mm
D: 1050 mm
D1: 1430 mm
E: 730 mm
E1: 1050 mm

- **Imballo / Packing**
mm 1130 x 850 x 1450 h


- **Peso lordo / gross weight**
170 kg
Peso netto / net weight
140 kg



VDP-S3

- **Dimensioni / Dimensions**

A: 2350 mm
A1: 1150 mm
A2: 600 mm
A3: 600 mm
B: 2070 mm;
B1: 750 mm
B2: 1545 mm
B3: 885 mm;
C: 810 mm
C1: 635 mm
C2: 1300 mm



- **Imballo / Packing**
mm 1400 x 1130 x 1900 h

(1/2)



- **Peso / Weight**
lordo / gross: 311 kg
netto / net: 263 kg

- **Imballo / Packing**
mm 2400 x 550 x 220 h

(2/2)



- **Peso / Weight**
lordo / gross: 32 kg
netto / net: 22 kg


VDP-K

- **Dimensioni / Dimensions**

A: 600 mm
A1: 540 mm
A2: 860 mm
B: 1350 mm
B1: 950 mm
C: 580 mm
C1: 820 mm

- **Imballo / Packing**
mm 1520 x 760 x 1120h

- **Peso lordo / gross weight**
155 kg
Peso netto / net weight
125 kg




VCO-K2

- **Dimensioni / Dimensions**

A: 700 mm
A1: 695 mm
A2: 1230 mm
B: 1520 mm
B1: 1075 mm
C: 760 mm
C1: 1070 mm

- **Imballo / Packing**
mm 1130 x 850 x 1450 h

- **Peso lordo / gross weight**
165 kg
Peso netto / net weight
130 kg



ATO.XP

- **Dimensioni / Dimensions**

mm 135 x 185 x 80h

- **Imballo / Packing**
mm 900 x 500 1120h

- **Peso lordo / gross weight**
140 kg
Peso netto / net weight
120 kg


VCO-K.Eco.AV6

- **Dimensioni / Dimensions**

A: 350 mm
B: 1090 mm
C: 740 mm
D: 1050 mm
D1: 1430 mm
E: 730 mm
E1: 930 mm

- **Imballo / Packing**
mm 1230 x 1030 x 1350 h

- **Peso lordo / gross weight**
170 kg
Peso netto / net weight
140 kg




EQUILIBRATRICI AUTO / CAR WHEEL BALANCERS

V788

• Dimensioni / Dimensions

A: 150 mm
B: 920 mm
B1: 770 mm
C: 1060 mm
D: 1770 mm
D1: 1570 mm
D2: 1980 mm
E: 1310 mm
E1: 1680 mm
E2: 1380 mm
E3: 1240 mm
E4: 670 mm



• Imballo / Packing

mm 1550 x 1300 x 1700 h

• Peso lordo / gross weight

300 kg


Peso netto / net weight

220 kg

V688

• Dimensioni / Dimensions

A: 390 mm
B: 1250 mm
B1: 670 mm
B2: 1320 mm
C: 640 mm
D: 1710 mm
D1: 1560 mm
D2: 1970 mm
E: 1310 mm
E1: 1610 mm



• Imballo / Packing

mm 1230 x 1030 x 1640 h

• Peso lordo / gross weight

170 kg


Peso netto / net weight

140 kg

V684

• Dimensioni / Dimensions

A: 390 mm
B: 1250 mm
B1: 670 mm
B2: 1230 mm
C: 640 mm
D: 1720 mm
D1: 1560 mm
D2: 1970 mm
E: 1310 mm
E1: 1610 mm



• Imballo / Packing

mm 1230 x 1030 x 1640 h

• Peso lordo / gross weight

170 kg


Peso netto / net weight

140 kg

V683

• Dimensioni / Dimensions

A: 450 mm
B: 1250 mm
B1: 1320 mm
C: 530 mm
D: 1730 mm
D1: 1550 mm
E: 1300 mm
E1: 1610 mm



• Imballo / Packing

mm 1320 x 1030 x 1640 h

• Peso lordo / gross weight

170 kg


Peso netto / net weight

140 kg

V653

• Dimensioni / Dimensions

A: 40 mm
B: 1120 mm
C: 1230 mm
D: 1390 mm
D1: 1350 mm
E: 1520 mm
E1: 1380 mm
E2: 1730 mm



• Imballo / Packing

mm 1230 x 1030 x 1640 h

• Peso lordo / gross weight

205 kg


Peso netto / net weight

175 kg

V648.2

• Dimensioni / Dimensions

A: 390 mm
B: 1250 mm
B1: 670 mm
B2: 1700 mm
C: 640 mm
D: 1720 mm
D1: 1560 mm
D2: 1970 mm
E: 1480 mm
E1: 1780 mm
E2: 1900 mm



• Imballo / Packing

mm 1450 x 1150 x 2130 h

• Peso lordo / gross weight

280 kg

Peso netto / net weight

240 kg

EQUILIBRATRICI AUTO / CAR WHEEL BALANCERS

V644.2

- **Dimensioni / Dimensions**

A: 390 mm
B: 1250 mm
B1: 670 mm
B2: 1610 mm
C: 640 mm
D: 1720 mm
D1: 1560 mm
E: 1480 mm
E1: 1780 mm
F: 1990 mm

- **Imballo / Packing**


mm 1450 x 1150 x 2130 h

- **Peso lordo / gross weight**

280 kg

Peso netto / net weight

240 kg



V643.3

- **Dimensioni / Dimensions**

A: 390 mm
B: 1250 mm
B1: 1410 mm
B2: 1620 mm
C: 640 mm
D: 1720 mm
D1: 1550 mm
E: 1480 mm
E1: 1780 mm
E2: 1990 mm

- **Imballo / Packing**


mm 1450 x 1150 x 1900 h

- **Peso lordo / gross weight**

280 kg

Peso netto / net weight

240 kg



V558

- **Dimensioni / Dimensions**

A: 400 mm
B: 860 mm
C: 800 mm
D: 1790 mm
D1: 1300 mm
E: 1040 mm
E1: 1100 mm

- **Imballo / Packing**


mm 1130 x 760 x 1120 h

- **Peso lordo / gross weight**

150 kg

Peso netto / net weight

126 kg



V548

- **Dimensioni / Dimensions**

A: 580 mm
B: 800 mm
C: 610 mm
D: 1480 mm
D1: 1150 mm
E: 1090 mm
E1: 1160 mm

- **Imballo / Packing**


mm 980 x 760 x 1120 h

- **Peso lordo / gross weight**

102 kg

Peso netto / net weight

90 kg



B448

- **Dimensioni / Dimensions**

A: 470 mm
B: 990 mm
C: 760 mm
D: 1370 mm
D1: 1320 mm
E: 1120 mm
E1: 1230 mm
F: 300

- **Imballo / Packing**


mm 1230 x 1030 x 1640 h

- **Peso lordo / gross weight**

190 kg

Peso netto / net weight

160 kg



B433.2

- **Dimensioni / Dimensions**

A: 380 mm
B: 880 mm
C: 750 mm
D: 1720 mm
D1: 1430 mm
E: 1170 mm
E1: 1310 mm

- **Imballo / Packing**


mm 1230 x 1030 x 1640 h

- **Peso lordo / gross weight**

165 kg

Peso netto / net weight

135 kg



B327

- **Dimensioni / Dimensions**

A: 480 mm
B: 900 mm
C: 770 mm
D: 1560 mm
D1: 1250 mm
E: 1030 mm
E1: 1120 mm

- **Imballo / Packing**


mm 1130 x 760 x 1120 h

- **Peso lordo / gross weight**

130 kg

Peso netto / net weight

100 kg



B328

- **Dimensioni / Dimensions**

A: 460 mm
B: 920 mm
C: 730 mm
D: 1550 mm
D1: 1210 mm
E: 1010 mm
E1: 1110 mm

- **Imballo / Packing**


mm 1130 x 760 x 1120 h

- **Peso lordo / gross weight**

130 kg

Peso netto / net weight

100 kg



EQUILIBRATRICI AUTO / CAR WHEEL BALANCERS

B222

• Dimensioni / Dimensions

A: 580 mm
A(*): 350 mm (senza/without carter)
B: 1210 mm
C: 410 mm
D: 1380 mm
D1: 940 mm
E: 1090 mm
E1: 1160 mm

• Imballo / Packing


mm 980 x 760 x 1120 h

• Peso lordo / gross weight

80 kg

Peso netto / net weight

68 kg



B212

• Dimensioni / Dimensions

A: 580 mm
A(*): 350 mm (senza/without carter)
B: 1210 mm
C: 410 mm
D: 1380 mm
D1: 940 mm
E: 1000 mm
E1: 1080 mm

• Imballo / Packing


mm 980 x 760 x 1120 h

• Peso lordo / gross weight

78 kg

Peso netto / net weight

66 kg



B112

• Dimensioni / Dimensions

A: 350 mm
B: 670 mm
C: 320 mm
D: 700 mm
D1: 520 mm
D2: 240 mm
E: 930 mm
F: 460 mm
G: 100 mm

• Imballo / Packing


mm 700 x 500 x 650 h

• Peso lordo / gross weight

57 kg

Peso netto / net weight

45 kg



B110

• Dimensioni / Dimensions

A: 350 mm
B: 670 mm
C: 320 mm
D: 900 mm
D1: 380 mm
D2: 100 mm
E: 950 mm
F: 460 mm
G: 100 mm

• Imballo / Packing


mm 770 x 370 x 400 h

• Peso lordo / gross weight

35 kg

Peso netto / net weight

45 kg34



EQUILIBRATRICI CAMION / TRUCK WHEEL BALANCERS

V590

• Dimensioni / Dimensions

A: 320 mm
B: 1090 mm
C: 770 mm
D: 700 mm
D1: 1280 mm
D2: 320 mm
E: 1050 mm
E1: 1520 mm

• Imballo / Packing


mm 1130 x 850 x 1450 h

• Peso lordo / gross weight

204 kg

Peso netto / net weight

174 kg



B351

• Dimensioni / Dimensions

A: 320 mm
B: 1090 mm
C: 770 mm
D: 700 mm
D1: 1250 mm
D2: 320 mm
E: 1050 mm
E1: 1520 mm

• Imballo / Packing


mm 1130 x 850 x 1450 h

• Peso lordo / gross weight

200 kg

Peso netto / net weight

170 kg



B141

• Dimensioni / Dimensions

A: 950 mm
B: 1020 mm
D: 990 mm
D1: 660 mm
D2: 610 mm
E: 960 mm
E1: 1100 mm
Ø Max: 1200 mm

• Imballo / Packing (2X)


mm 1250 x 1060 x 900 h

• Peso lordo / gross weight

150 kg

Peso netto / net weight

120 kg



B160-T

• Dimensioni / Dimensions

L: 1040 mm
L1: 530 mm
L2: 510 mm
H: 200 mm
H1: 300 mm
H2: 55.5 mm
P: 340 mm

• Imballo / Packing (2X)


mm 900 x 500 x 1120 h

• Peso lordo / gross weight (2X)

115 kg

Peso netto / net weight (2X)

100 kg



EQUILIBRATRICI MOTO / MOTO WHEEL BALANCERS

B202.MOTO

- **Dimensioni / Dimensions**

A: 300 mm
B: 630 mm
C: 330 mm
D: 940 mm
D1: 1000 mm
D2: 670 mm
E: 670 mm
E1: 910 mm
Ø Max: 705 mm

- **Imballo / Packing (2X)**


mm 900 x 1120 x 1120 h

- **Peso lordo / gross weight**

54 kg

Peso netto / net weight

43 kg



B102.MOTO

- **Dimensioni / Dimensions**

A: 350 mm
B: 670 mm
C: 320 mm
D: 900 mm
D1: 380 mm
D2: 100 mm
E: 850 mm
E1: 490 mm
F: 460 mm
G: 100 mm

- **Imballo / Packing (2X)**


mm 770 x 370 x 400 h

- **Peso lordo / gross weight**

20 kg

Peso netto / net weight

18 kg



B103.MOTO

- **Dimensioni / Dimensions**

A: 130 mm
B: 40 mm
C: 680 mm
D: 210 mm

- **Imballo / Packing**


mm 500 x 200 x 300 h

- **Peso lordo / gross weight**

16 kg

Peso netto / net weight

14 kg



SMONTAGOMME AUTO / CAR TIRE CHANGERS

RASE.TOP.3128

- **Dimensioni / Dimensions**

mm 1800 x 1650 x 1650 h

- **Imballo / Packing**

mm 1140 x 1430 x 1860 h

- **Peso lordo / gross weight**

611 kg

Peso netto / net weight

561 kg

RASE.TOP.3030.VR

- **Dimensioni / Dimensions**

mm 2000 x 1900 x 2250 h

- **Imballo / Packing**

mm 1350 x 1580 x 2010 h

- **Peso lordo / gross weight**

520 kg

Peso netto / net weight

490 kg

RASE.TOP.3021

- **Dimensioni / Dimensions**

mm 1120-1690 x 1280 x 1770-2200 h

- **Imballo / Packing**

mm 1140 x 1430 x 1860 h

- **Peso lordo / gross weight**

405 kg

Peso netto / net weight

365 kg

RASE.TOP.2249

- **Dimensioni spazio di lavoro / Working space dimensions**

mm 1170 x 1160 max

- **Imballo / Packing**

mm 1130 x 1130 x 2050 h

- **Peso lordo / gross weight**

450 kg

Peso netto / net weight

420 kg

RASE.TOP.2248

- **Dimensioni spazio di lavoro / Working space dimensions**

mm 1170 x 1160 max

- **Imballo / Packing**

mm 1130 x 1130 x 2050 h

- **Peso lordo / gross weight**

435 kg

Peso netto / net weight

405 kg

RASE.TOP.2247

- **Dimensioni spazio di lavoro / Working space dimensions**

mm 1300 x 1160 max

- **Imballo / Packing**

mm 1130 x 1130 x 2050 h

- **Peso lordo / gross weight**

355 kg

Peso netto / net weight

325 kg

RASE.TOP.2148

- **Dimensioni / Dimensions**

mm 1360 x 1710 x 2170 h

- **Imballo / Packing**

mm 1020 x 1320 x 2100 h

- **Peso lordo / gross weight**

395 kg

Peso netto / net weight

455 kg

RASE.TOP.2132.T

- **Dimensioni / Dimensions**

mm 1380 x 1590 x 2140 h

- **Imballo / Packing**

mm 1320 x 1250 x 2080 h

- **Peso lordo / gross weight**

495 kg

Peso netto / net weight

435 kg

RASE.TOP.2125

- **Dimensioni / Dimensions**

mm 1360 x 1710 x 2170 h

- **Imballo / Packing**

mm 1020 x 1320 x 2100 h

- **Peso lordo / gross weight**

410 kg

Peso netto / net weight

380 kg

RASE.TOP.2038

- **Dimensioni / Dimensions**

mm 1590 x 1890 x 2160 h

- **Imballo / Packing**

mm 1140 x 1430 x 1860 h

- **Peso lordo / gross weight**

419 kg

Peso netto / net weight

379 kg

RASE.2144.T

- **Dimensioni / Dimensions**

mm 1250 x 1730 x 1940 h

- **Imballo / Packing**

mm 950 x 1150 x 1080 h

- **Peso lordo / gross weight**

286 kg

Peso netto / net weight

260 kg

RASE.2131.T

- **Dimensioni / Dimensions**

mm 1600 x 1880 x 2170 h

- **Imballo / Packing**

mm 1300 x 1300 x 1830 h

- **Peso lordo / gross weight**

415 kg

Peso netto / net weight

340 kg

SMONTAGOMME AUTO-MOTO / CAR-MOTO TIRE CHANGERS
RASE.2124

- **Dimensioni / Dimensions**
mm 1075 x 1565 x 2110 h
- **Imballo / Packing**
mm 950 x 1150 x 1080 h
- **Peso lordo / gross weight**
270 kg
Peso netto / net weight
255 kg

RASE.2115

- **Dimensioni / Dimensions**
mm 990 x 1505 x 1750 h
- **Imballo / Packing**
mm 950 x 1150 x 1080 h
- **Peso lordo / gross weight**
260 kg
Peso netto / net weight
235 kg

RAE.2108

- **Dimensioni / Dimensions**
mm 1015 x 1155 x 1765 h
- **Imballo / Packing**
mm 980 x 770 x 970 h
- **Peso lordo / gross weight**
230 kg
Peso netto / net weight
205 kg

RAE.2102.R

- **Dimensioni / Dimensions**
mm 990 x 1505 x 1750 h
- **Imballo / Packing**
mm 1150 x 960 x 1060 h
- **Peso lordo / gross weight**
260 kg
Peso netto / net weight
235 kg

RAE.2102

- **Dimensioni / Dimensions**
mm 990 x 1505 x 1750 h
- **Imballo / Packing**
mm 980 x 770 x 970 h
- **Peso lordo / gross weight**
225 kg
Peso netto / net weight
205 kg

RNE.1618

- **Dimensioni spazio di lavoro / Working space dimensions**
mm 1330 x 1460 max
- **Imballo / Packing**
mm 950 x 1150 x 1080 h
- **Peso lordo / gross weight**
205 kg
Peso netto / net weight
185 kg

RNE.1617

- **Dimensioni / Dimensions**
mm 940 x 1120 x 1825 h
- **Imballo / Packing**
mm 950 x 1150 x 1080 h
- **Peso lordo / gross weight**
205 kg
Peso netto / net weight
185 kg

RNE.1612

- **Dimensioni / Dimensions**
mm 1110 x 930 x 1720 h
- **Imballo / Packing**
mm 980 x 770 x 970 h
- **Peso lordo / gross weight**
195 kg
Peso netto / net weight
175 kg

RKE.1412

- **Dimensioni / Dimensions**
mm 1025 x 940 x 1825 h
- **Imballo / Packing**
mm 980 x 770 x 970 h
- **Peso lordo / gross weight**
170 kg
Peso netto / net weight
150 kg

R.1021.MOTO

- **Dimensioni / Dimensions**
mm 990 x 945 x 1730 h
- **Imballo / Packing**
mm 990 x 770 x 1080 h
- **Peso lordo / gross weight**
165 kg
Peso netto / net weight
150 kg

SMONTAGOMME CAMION / TRUCK TIRE CHANGERS
RGU600E

- **Dimensioni / Dimensions**
mm 2815 x 2050 x 1950 h
- **Imballo / Packing**
mm 2880 x 2130 x 1200 h
- **Peso lordo / gross weight**
1500 kg
Peso netto / net weight
1400 kg

RGU588E

- **Dimensioni / Dimensions**
mm 2420÷3150x2350÷2600x1030÷1970
- **Imballo / Packing**
mm 2310 x 2420 x 1210 h
- **Peso lordo / gross weight**
1620 kg
Peso netto / net weight
1370 kg

RGU570.S

- **Dimensioni / Dimensions**
mm 2730 x 1990 x 1950 max
- **Imballo / Packing**
mm 1950 x 2290 x 1130 h
- **Peso lordo / gross weight**
1300 kg
Peso netto / net weight
1200 kg

RGU566E

- **Dimensioni / Dimensions**
mm 2210÷2850x1840÷2050x970÷1900h
- **Imballo / Packing**
mm 2270 x 1900 x 1110 h
- **Peso lordo / gross weight**
1245 kg
Peso netto / net weight
1025 kg

RGU56E.XLA

- **Dimensioni / Dimensions**
mm 2000÷2400 x 1640 x 880÷1500h
- **Imballo / Packing**
mm 2020 x 1700 x 1030 h
- **Peso lordo / gross weight**
850 kg
Peso netto / net weight
770 kg

RGU56E.XL

- **Dimensioni / Dimensions**
mm 2000÷2400 x 1640 x 880÷1500h
- **Imballo / Packing**
mm 2020 x 1700 x 1030 h
- **Peso lordo / gross weight**
816 kg
Peso netto / net weight
770 kg

RGU300.Eco

- **Dimensioni / Dimensions**
mm 1129÷1375x1082÷1994x781÷1084h
- **Imballo / Packing**
mm 1470 x 1570 x 980 h
- **Peso lordo / gross weight**
596 kg
Peso netto / net weight
505 kg

RGU267E

- **Dimensioni / Dimensions**
mm 1430÷1750x1550÷1740x860÷1270h
- **Imballo / Packing**
mm 1500 x 1600 x 1040 h
- **Peso lordo / gross weight**
600 kg
Peso netto / net weight
560 kg

RGU267.Eco

- **Dimensioni / Dimensions**
mm 1390÷1800 x 1400 x 700÷1160h
- **Imballo / Packing**
mm 1470 x 1570 x 950h
- **Peso lordo / gross weight**
621 kg
Peso netto / net weight
530 kg

RGU264E

- **Dimensioni / Dimensions**
mm 1330÷1570 x 1500 x 1160h
- **Imballo / Packing**
mm 1520 x 1400 x 750h
- **Peso lordo / gross weight**
490 kg
Peso netto / net weight
400 kg

RGU264E-T

- **Dimensioni / Dimensions**
mm 1330÷1570 x 1500 x 1160h
- **Imballo / Packing**
mm 1520 x 1400 x 750h
- **Peso lordo / gross weight**
470 kg
Peso netto / net weight
380 kg

RGU2671.G

- **Dimensioni / Dimensions**
mm 1150÷1700 x 1150÷2050 x 1200h
- **Imballo / Packing**
mm 1150 x 1800 x 1400h
- **Peso lordo / gross weight**
950 kg
Peso netto / net weight
900 kg

PEDANE E PONTI / LIFTERS & LIFTING PLATFORMS

PS100.3

- **Dimensioni / Dimensions**
mm 1420÷1975 x 1760 x 1000 h
- **Imballo / Packing**
mm 1600 x 650 x 900 h
- **Peso lordo / gross weight**
460 kg
Peso netto / net weight
430 kg

PS93.3

- **Dimensioni / Dimensions**
mm 1400÷1932 x 1770 x 95÷930 h
- **Imballo / Packing**
mm 1800 x 1800 x 500 h
- **Peso lordo / gross weight**
550 kg
Peso netto / net weight
480 kg

PS40A

- **Dimensioni / Dimensions**
mm 2000÷2940 x 3630 x 165÷400 h
- **Imballo / Packing**
mm 1410 x 2290 x 330 (1/2)
mm 510 x 1280 x 400 (2/2)
- **Peso lordo / gross weight**
415 kg
Peso netto / net weight
445 kg

PS20W

- **Dimensioni / Dimensions**
mm 2700 x 950 x 1030 h
- **Imballo / Packing**
mm 2350 x 820 x 880 h
- **Peso lordo / gross weight**
240 kg
Peso netto / net weight
210 kg

PS150M

- **Dimensioni / Dimensions**
mm 2000 x 600 x 1000 h
- **Imballo / Packing**
mm 2000 x 750 x 300 (1/2)
mm 600 x 200 x 200 (2/2)
- **Peso lordo / gross weight**
150 kg
Peso netto / net weight
120 kg

FZ63

- **Dimensioni / Dimensions**
mm 3200 x 2850 x 2580 h
- **Imballo / Packing**
mm 3200 x 1100 x 600 h
- **Peso lordo / gross weight**
600 kg
Peso netto / net weight
580 kg

FZ61

- **Dimensioni / Dimensions**
mm 3200 x 2850 x 2850 h
- **Imballo / Packing**
mm 3200 x 1100 x 600 h
- **Peso lordo / gross weight**
600 kg
Peso netto / net weight
580 kg

FZ52

- **Dimensioni / Dimensions**
mm 3220 x 2850 x 3200÷4000h
- **Imballo / Packing**
mm 3200 x 1100 x 600 h
- **Peso lordo / gross weight**
600 kg
Peso netto / net weight
580 kg

FZ51

- **Dimensioni / Dimensions**
mm 3260 x 2850 x 2600 h
- **Imballo / Packing**
mm 3200 x 1100 x 600 h
- **Peso lordo / gross weight**
600 kg
Peso netto / net weight
580 kg

FZ42

- **Dimensioni / Dimensions**
mm 3220 x 2850 x 3200÷4000h
- **Imballo / Packing**
mm 3200 x 1100 x 600 h
- **Peso lordo / gross weight**
600 kg
Peso netto / net weight
580 kg

FZ41

- **Dimensioni / Dimensions**
mm 3260 x 2850 x 2600 h
- **Imballo / Packing**
mm 3200 x 1100 x 600 h
- **Peso lordo / gross weight**
600 kg
Peso netto / net weight
580 kg

FZ31

- **Dimensioni / Dimensions**
3050 x 4600÷5100 x 2620 h
- **Imballo / Packing**
mm 2400 x 800 x 800 (1/2)
mm 4600 x 700 x 600 (2/2)
- **Peso lordo / gross weight**
815 kg
Peso netto / net weight
790 kg

UFZ25

- **Dimensioni / Dimensions**
3324÷3824 x 1460÷1600 x 105÷1980 h
- **Imballo / Packing**
mm 2000 x 650 x 800 h
- **Peso lordo / gross weight**
800 kg
Peso netto / net weight
770 kg

UP42

- **Dimensioni / Dimensions**
2080 x 2100 x 2020 h
- **Imballo / Packing**
mm 2100 x 1600 x 300 h
- **Peso lordo / gross weight**
1100 kg
Peso netto / net weight
1090 kg

UF45

- **Dimensioni / Dimensions**
5460 x 2190 x 265 h
- **Imballo / Packing**
mm 4810 x 2190 x 280 h
- **Peso lordo / gross weight**
2510 kg
Peso netto / net weight
2500 kg

PRODOTTI VARI / MISCELLANEOUS PRODUCT

AC3200

- **Dimensioni / Dimensions**
mm 698 x 703 x 1170 h
- **Imballo / Packing**
mm 700 x 700 x 1400 h
- **Peso lordo / gross weight**
95 kg
Peso netto / net weight
110 kg

AC3180

- **Dimensioni / Dimensions**
mm 630 x 625 x 1220 h
- **Imballo / Packing**
mm 660 x 700 x 1300 h
- **Peso lordo / gross weight**
90 kg
Peso netto / net weight
80 kg

AC3160 / AC3150

- **Dimensioni / Dimensions**
mm 700 x 700 x 1200 h
- **Imballo / Packing**
mm 800 x 770 x 1500 h
- **Peso lordo / gross weight**
102 kg
Peso netto / net weight
90 kg

AC7900HD

- **Dimensioni / Dimensions**
mm 630 x 625 x 1220 h
- **Imballo / Packing**
mm 660 x 700 x 1300 h
- **Peso lordo / gross weight**
109 kg
Peso netto / net weight
98 kg

PANGEA

- **Dimensioni / Dimensions**
mm 1860 x 1070 x 2250 h
- **Imballo / Packing**
mm 2100 x 1045 x 2100 h
- **Peso lordo / gross weight**

Peso netto / net weight
940 kg

JUMBO

- **Dimensioni / Dimensions**
mm 710 x 1300 x 1500 h
- **Imballo / Packing**
mm 660 x 700 x 1300 h
- **Peso lordo / gross weight**
350 kg
Peso netto / net weight
330 kg

KONIG

- **Dimensioni / Dimensions**
mm 710 x 1300 x 1500 h
- **Imballo / Packing**
mm 660 x 700 x 1300 h
- **Peso lordo / gross weight**
350 Kg
Peso netto / net weight
330 kg

OZEL

- **Dimensioni / Dimensions**
mm 1218 x 965 x 1712 h
- **Imballo / Packing**
mm 1300 x 710 x 1500 h
- **Peso lordo / gross weight**
480 Kg
Peso netto / net weight
450 kg